Serial No.: 09/501,134 Attorney Docket No.: 00P7458US

## IN THE CLAIMS:

This listing of the claims will replace all prior versions and listings of the claims in the application:

- 1. (Currently Amended) A method for updating configuration information in a TAPI system, comprising:
- <u>a TAPI service provider</u> storing configuration information in a first configuration table object;
- <u>a TAPI service provider</u> requesting update static configuration information from a telephony device;
- a TAPI service provider receiving said update static configuration information; and
- <u>a TAPI service provider</u> storing said static update configuration information for system use as a second configuration table object.
- (Original) A method in accordance with claim 1, further comprising generating a deleted devices configuration table object and an added devices configuration table object.
- 3. (Original) A method in accordance with claim 2, comprising notifying said TAPI system that each device in said deleted devices configuration table object has been dynamically deleted.
- 4. (Original) A method in accordance with claim 2, comprising notifying said TAPI system that each device in said added devices configuration table object has been dynamically deleted.
  - 5. (Currently Amended) A TAPI system, comprising:

Serial No.: 09/501,134 Attorney Docket No.: 00P7458US

means associated with a TAPI service provider for storing configuration information in a first configuration table object;

means associated with a TAPI service provider for requesting update static configuration information from a telephony device;

means <u>associated with a TAPI service provider</u> for receiving said update static configuration information; and

means <u>associated with a TAPI service provider</u> for storing said static update configuration information for system use as a second configuration table object.

- 6. (Original) A system in accordance with claim 5, said storing means further comprising means for generating a deleted devices configuration table object and an added devices configuration table object.
- 7. (Original) A system in accordance with claim 6, further comprising means for notifying said TAPI system that each device in said deleted devices configuration table object has been dynamically deleted.
- 8. (Original) A system in accordance with claim 6, further comprising means for notifying said TAPI system that each device in said added devices configuration table object has been dynamically deleted.
  - 9. (Previously Presented) A TAPI system, comprising:
- a TAPI service provider adapted to store configuration information received from a telephony device in a first configuration table object; and
- a telephony device adapted to transmit update static configuration information to said TAPI service provider;

wherein said TAPI service provider is adapted to store said static update configuration information for system use as a second configuration table object.

SIEMENS CORP. IPD-W PAGE 05/08

Serial No.: 09/501,134 Attorney Docket No.: 00P7458US

\$ 05/19/2004 08:06

6509684517

10. (Previously Presented) A system in accordance with claim 9, said TAPI service provider further adapted to generate a deleted devices configuration table object and an added devices configuration table object.

- 11. (Previously Presented) A system in accordance with claim 6, said TAPI service provider further adapted to notify a TAPI application that each device in said deleted devices configuration table object has been dynamically deleted.
- 12. (Previously Presented) A system in accordance with claim 6, said TAPI service provider further adapted to notify a TAPI application that each device in said added devices configuration table object has been dynamically deleted.